



MEDIA BULLETIN

PD Day (0630-0629) --- Wednesday, August 2, 2017

08/03/2017

- 07:37 **MEDICAL AID** 1708020013
Occurred at Mts Transit Center on Campanile Dr. , San Diego. 72YO MALE DIFFICULTY BREATHING SITTING ON BENCH. AMA WHT TSHIRT BLU JACKET. . Disposition: CHECKS OK.
- 07:47 **SUSPICIOUS CIRCUMSTANCES** 1708020014
Officer initiated activity at College Av, San Diego. COLLISION HEARD, CHECKING THE AREA. . Disposition: UNABLE TO LOCATE.
- 07:53 **ACCESS CONTROL SYSTEM ALARM** 1708020015
Occurred at Storm Hall on Scripps Terrace. , San Diego. DOOR FORCED OPEN. . Disposition: INFORMATION ONLY.
- 07:56 **VEHICLE CHECK** 1708020016
Officer initiated activity at Dominos Pizza, College Av, San Diego. . Disposition: REPORT TAKEN.
- 08:01 **AREA/BUILDING CHECK** 1708020017
Officer initiated activity at Parking 1, College Av, San Diego. . Disposition: CHECKS OK.
- 08:02 **ACCESS CONTROL SYSTEM ALARM** 1708020018
Occurred at Student Services West on Aztec Circle Dr. , San Diego. ENTRANCE FROM 3615. . Disposition: INFORMATION ONLY.
- 08:41 **VEHICLE CHECK** 1708020019
Officer initiated activity at Dominos Pizza, College Av, San Diego. . Disposition: ASSISTED.
- 09:17 **PEDESTRIAN STOP/CONTACT** 1708020020
Officer initiated activity at Aztec Student Union Pedestrian Bridge, Aztec Circle Dr, San Diego. . Disposition: ASSISTED.
- 09:31 **FIRE ALARM** 1708020021
Occurred at Kpbs on Campanile Dr. , San Diego. AHU 3 SUPPLY DUCT DETECTOR. . Disposition: CHECKS OK.
- 09:57 **DURESS PHONE CALL/HANG UP** 1708020023
Occurred at Mts Transit Center on Campanile Dr. , San Diego. Service Class: BUSN OPEN LINE, NO DURESS HEARD. . Disposition: INFORMATION ONLY.
- 10:01 **AREA/BUILDING CHECK** 1708020024
Officer initiated activity at Parking 17, Alvarado Rd, San Diego. . Disposition: CHECKS OK.
- 10:02 **VEHICLE ASSIST** 1708020025
Officer initiated activity at Parking 17B, Alvarado Rd, San Diego. . Disposition: CHECKS OK.
- 10:32 **CHECK THE WELFARE** 1708020029
Occurred at Student Services East on Aztec Circle Dr. , San Diego. 3RD INFO, FACILITIES EMPLOYEE WAS FLAGGED DOWN RE FEMALE IN DISTRESS IN RESTROOM. . Disposition: ASSISTED.
- 10:49 **TRAFFIC STOP** 1708020030
Officer initiated activity at Soria Dr, San Diego. . Disposition: ADVISED.
- 10:55 **TRESPASSING** 1708020032
Occurred at Aztec Student Union Pedestrian Bridge on Aztec Circle Dr. , San Diego. RP ADV SUBJ IN AREA SETTING UP CAMP WMA, 35-40, 510, POSS HAS A GOATEE, SUNGLASSES, MAROON BASEBALL CAP, BLK TANK TOP WITH BLU STRIPES, DARK SHORTS, NO WPS/HBD/115, 2ND SUBJ SITTING ON GROUND WITH MALE, UNK DESCRIPTION. . Disposition: ADVISED.
- 11:03 **AREA/BUILDING CHECK** 1708020033
Officer initiated activity at Parking 1, College Av, San Diego. . Disposition: CHECKS OK.
- 11:04 **TRAFFIC STOP** 1708020034
Officer initiated activity at Parking 2A, Zura Wy, San Diego. . Disposition: CITATION ISSUED.
- 11:28 **PEDESTRIAN STOP/CONTACT** 1708020035
Officer initiated activity at Campanile Dr, San Diego. . Disposition: ADVISED.

RV1869

1516

**MEDIA BULLETIN**

PD Day (0630-0629) — Wednesday, August 2, 2017

08/03/2017

- 11:32 PEDESTRIAN STOP/CONTACT** 1708020036
Officer initiated activity at Jack In The Box, College Av, San Diego. BUS STOP. . Disposition: ASSISTED.
- 13:48 FLAG DOWN** 1708020039
Officer initiated activity at Mary Lane Dr, San Diego. . Disposition: ASSISTED.
- 14:31 ACCESS CONTROL SYSTEM ALARM** 1708020040
Occurred at Malcolm A Love Library on Campanile Dr. , San Diego. SCC INTO STAIRWELL EAST SIDE FORCED OPEN. . Disposition: INFORMATION ONLY.
- 14:55 ACCESS CONTROL SYSTEM ALARM** 1708020041
Occurred at Malcolm A Love Library on Campanile Dr. , San Diego. 2ND FL E EMERGENCY EXIT DOOR FORCED OPEN]. . Disposition: INFORMATION ONLY.
- 15:19 ASSIST OTHER AGENCY** 1708020045
Occurred at Faith Presbyterian Church on Campanile Dr. , San Diego. MALE SUBJ LAYING FACEDOWN ON SIDEWALK . SDPD HANDLING. . Disposition: ASSISTED.
- 15:29 AREA/BUILDING CHECK** 1708020046
Officer initiated activity at University Towers Residence Hall, Montezuma Rd, San Diego. . Disposition: CHECKS OK.
- 15:30 AREA/BUILDING CHECK** 1708020047
Officer initiated activity at Parking 7, 55TH St, San Diego. . Disposition: CHECKS OK.
- 15:36 TRAFFIC STOP** 1708020048
Officer initiated activity at College Park Preschool, Campanile Dr, San Diego. (Hundred block.). . Disposition: CITATION ISSUED.
- 15:40 ACCESS CONTROL SYSTEM ALARM** 1708020049
Occurred at Manchester Hall on Campanile Dr. , San Diego. PROVOST OFFICE PANIC. . Disposition: CHECKS OK.
- 15:59 AREA/BUILDING CHECK** 1708020051
Officer initiated activity at Parking 6B, Hardy Av, San Diego. . Disposition: CHECKS OK.
- 16:03 TRAFFIC STOP** 1708020052
Officer initiated activity at Alvarado Rd, San Diego. (Hundred block.) EAST OF P17B ENTRANCE. . Disposition: ADVISED.
- 16:07 FIRE ALARM** 1708020053
Occurred at Life Sciences North on Avenue Of Arts. , San Diego. FIRE ALARM; DUCT DETECTOR ACTIVATION. . Disposition: CHECKS OK.
- 16:28 AREA/BUILDING CHECK** 1708020055
Officer initiated activity at Campus Core, Campanile Dr, San Diego. . Disposition: CHECKS OK.
- 16:45 ALVARADO MEDICAL CENTER SECURITY DETAIL** 1708020056
Occurred at Alvarado Medical Center on Alvarado Ct. , San Diego. AMC DETAIL. . Disposition: CHECKS OK.
- 16:59 AREA/BUILDING CHECK** 1708020058
Officer initiated activity at Parking 7, 55TH St, San Diego. . Disposition: CHECKS OK.
- 17:17 TRESPASSING** 1708020059
Occurred at Trader Joe's on College Av. , San Diego. BTW TJ'S AND PARKING GARAGE, SUBJ SLEEPING IN AREA, HAS BEEN ASKED TO LEAVE AND IS REFUSING, WMA, 60S, 506, MED BUILD, SUNGLASSES, BASEBALL CAP, BLUE TSHIRT, SWEATPANTS, STUBBY CIGAR AND JACK IN THE BOX CUP WITH HIM. NO WPS. . Disposition: ADVISED.
- 17:37 AREA/BUILDING CHECK** 1708020060
Officer initiated activity at Parking 16, Canyon Crest Dr, San Diego. . Disposition: CHECKS OK.
- 17:42 BURGLARY ALARM** 1708020061
Occurred at Alvarado Medical Center Bldg 9 on Alvarado Ct. , San Diego. INTERIOR HALL MOTION, PERIMETER LOBBY DOOR. . Disposition: CHECKS OK.

**MEDIA BULLETIN**

PD Day (0630-0629) --- Wednesday, August 2, 2017

08/03/2017

- 18:06 DURESS PHONE CALL/HANG UP 1708020062**
Occurred at Duress Sse ELEV1 Ext 39136 on Aztec Circle Dr. , San Diego. Service Class: PBXb
OPEN LINE, NO DURESS HEARD. . Disposition: CHECKS OK.
- 19:16 AREA/BUILDING CHECK 1708020064**
Officer initiated activity at Parking 15, Canyon Crest Dr, San Diego. . Disposition: CHECKS OK.
- 20:21 DURESS PHONE CALL/HANG UP 1708020066**
Occurred at Duress Pa Elev Ext 39098 on Campanile Dr. , San Diego. Service Class: PBXb
MALE SUBJECT HEARD ON OTHER END, SAYING HELLO AND KEPT SAYING "HE WASN'T TRYING TO
CALL". . Disposition: CHECKS OK.
- 20:36 SUSPICIOUS CIRCUMSTANCES 1708020067**
Occurred at Campus Core on Campanile Dr. , San Diego. RP ADVISING HER SON WAS SUPPOSED TO
ATTEND ORIENTATION TODAY AND HASN'T RETURNED HOME. ACCORDING TO THE RP, IT'S NOT
LIKE HER SON TO NOT RETURN CALLS. . Disposition: CANCELLED.
- 20:49 ACCESS CONTROL SYSTEM ALARM 1708020068**
Occurred at Fowler Athletic Center on 55TH St. , San Diego. INTRUSION TO ALL DOORS. . Disposition:
CHECKS OK.
- 21:13 FIRE ALARM 1708020069**
Occurred at Mts Transit Center on Campanile Dr. , San Diego. PULL STATION MEZZ CENTER . MTS
NOTIFIED. REFERENCE INCIDENT 1708020070. . Disposition: ASSISTED.
- 21:21 FLAG DOWN 1708020070**
Occurred at Mts Transit Center on Campanile Dr. , San Diego. WEST PLATFORM, FLAGGED DOWN
DURING FIRE ALARM REGARDING A POSSIBLE 5150/MEDICAL AID.
SUBJECT RAN INTO THE TUNNEL. SUBJECT TRANSPORTED TO GROSSMONT HOSPITAL FOR
FURTHER EVALUATION. . Disposition: REPORT TAKEN.
- 21:57 FIRE ALARM 1708020071**
Occurred at Kpbs on Campanile Dr. , San Diego. AHU 3 DUCT DETECTOR . FS AND SIMPLEX NOTIFIED. .
Disposition: CHECKS OK.
- 22:07 DOOR LOCK 1708020072**
Occurred at Alumni Center on 55TH St. , San Diego. EXT DOOR NOT LOCKING. FS NOTIFIED. . Disposition:
INFORMATION ONLY.
- 23:05 FOOT PATROL 1708020073**
Officer initiated activity at Parking 16, Canyon Crest Dr, San Diego. . Disposition: CHECKS OK.
- 23:11 DRUG ACTIVITY 1708020074**
Occurred at Calpulli Center on Hardy Av. , San Diego. 1ST FLOOR BENCHES. 2ND HAND RP FROM
CUSTODIAN SUPERVISOR. SEVERAL STUDENTS SMOKING MARIJUANA. . Disposition: ADVISED.
- 23:14 ACCESS CONTROL SYSTEM ALARM 1708020075**
Occurred at Storm Hall on Scripps Terrace. , San Diego. DOOR FORCED OPEN. . Disposition: CHECKS OK.
- 23:44 FOOT PATROL 1708020078**
Officer initiated activity at Office Of Housing Administration, Montezuma Rd, San Diego. . Disposition:
CHECKS OK.
- 00:06 AREA/BUILDING CHECK 1708030001**
Officer initiated activity at Parking 3, East Campus Dr, San Diego. . Disposition: CHECKS OK.
- 00:31 FOOT PATROL 1708030003**
Officer initiated activity at Campus Core, Campanile Dr, San Diego. . Disposition: CHECKS OK.
- 03:23 AREA/BUILDING CHECK 1708030004**
Officer initiated activity at Parking 16, Canyon Crest Dr, San Diego. . Disposition: CHECKS OK.



MEDIA BULLETIN

PD Day (0630-0629) --- Wednesday, August 2, 2017

08/03/2017

03:41 ACCESS CONTROL SYSTEM ALARM 1708030005

Occurred at Storm Hall on Scripps Terrace, San Diego. ROOM UD SPAC ANALYSIS DPPR FORCED OPEN.
STAFF HAD A VALID BADGE SWIPE IN THE AREA.
WC NOTIFIED. . Disposition: INFORMATION ONLY.

05:10 AREA/BUILDING CHECK 1708030006

Officer initiated activity at Campus Core, Campanile Dr, San Diego. . Disposition: CHECKS OK.