

**MEDIA BULLETIN**

PD Day (0630-0629) --- Monday, August 7, 2017

08/08/2017

<b>06:37</b>	<b>TRESPASSING</b>	<b>1708070011</b>
Occurred at The Habit Burger At Asu on Aztec Circle Dr. , San Diego. MALE SUBJECT BY THE HABIT AND CHIPOTLE WMA/300LBS/GREY SHIRT/BLK PANTS/HAS A BLUE BAG/ POSS 647F HE IS SCREAMING PROFANITY TO PASSERBY'S AND KICKING CHAIRS. MALE L/S IN THE RESTROOMS NEAR THE ELEVATOR AND CHIPOTLE. . Disposition: ADVISED.		
<b>07:22</b>	<b>AREA/BUILDING CHECK</b>	<b>1708070012</b>
Officer initiated activity at Parking 2B, Zura Wy, San Diego. . Disposition: CHECKS OK.		
<b>07:59</b>	<b>ACCESS CONTROL SYSTEM ALARM</b>	<b>1708070013</b>
Occurred at Storm Hall on Scripps Terrace. , San Diego. NORTH DOOR OPENED TOO LONG VBS. . Disposition: CHECKS OK.		
<b>09:19</b>	<b>AREA/BUILDING CHECK</b>	<b>1708070016</b>
Officer initiated activity at Parking 12, Aztec Circle Dr, San Diego. . Disposition: CHECKS OK.		
<b>10:12</b>	<b>AREA/BUILDING CHECK</b>	<b>1708070020</b>
Officer initiated activity at Parking 16, Canyon Crest Dr, San Diego. . Disposition: CHECKS OK.		
<b>10:31</b>	<b>FOOT PATROL</b>	<b>1708070021</b>
Officer initiated activity at Viejas Arena, 55TH St, San Diego. . Disposition: CHECKS OK.		
<b>11:37</b>	<b>AREA/BUILDING CHECK</b>	<b>1708070022</b>
Officer initiated activity at Lindo Paseo Av, San Diego. . Disposition: CHECKS OK.		
<b>12:08</b>	<b>FIRE ALARM</b>	<b>1708070024</b>
Occurred at Eureka on College Av. , San Diego. FIRST FLOOR CORRIDOR BY COOLERS SMOKE DETECTORS. . Disposition: CHECKS OK.		
<b>12:34</b>	<b>FIRE ALARM</b>	<b>1708070027</b>
Occurred on 55TH St, San Diego. MENS LOCKER ROOM SMOKE DETECTOR. . Disposition: CHECKS OK.		
<b>13:06</b>	<b>FIRE ALARM</b>	<b>1708070028</b>
Occurred at East Commons on Aztec Circle Dr. , San Diego. 1ST FLOOR PREP HOOD SYSTEM. . Disposition: CHECKS OK.		
<b>13:20</b>	<b>ACCESS CONTROL SYSTEM ALARM</b>	<b>1708070030</b>
Occurred at Adams Humanities on Campanile Dr. , San Diego. MAST CONT EAST DOOR DC MOTION. . Disposition: CHECKS OK.		
<b>13:32</b>	<b>FOOT PATROL</b>	<b>1708070032</b>
Officer initiated activity at College Square, Lindo Paseo Av, San Diego. . Disposition: CHECKS OK.		
<b>14:01</b>	<b>VEHICLE CHECK</b>	<b>1708070034</b>
Officer initiated activity at Parking 17B, Alvarado Rd, San Diego. . Disposition: CHECKS OK.		
<b>14:21</b>	<b>TRAFFIC STOP</b>	<b>1708070036</b>
Officer initiated activity at 55TH St, San Diego. . Disposition: ADVISED.		
<b>14:49</b>	<b>AREA/BUILDING CHECK</b>	<b>1708070037</b>
Officer initiated activity at Adobe Falls (The Waterfall Hike), Mill Peak Rd, San Diego. . Disposition: CHECKS OK.		
<b>14:53</b>	<b>AREA/BUILDING CHECK</b>	<b>1708070038</b>
Officer initiated activity at Alvarado Medical Center, Alvarado Rd, San Diego. . Disposition: CHECKS OK.		
<b>15:01</b>	<b>TRAFFIC STOP</b>	<b>1708070039</b>
Officer initiated activity at Montezuma Rd, San Diego. . Disposition: CITATION ISSUED.		
<b>15:23</b>	<b>VEHICLE ASSIST</b>	<b>1708070042</b>
Officer initiated activity at Lindo Paseo Av, San Diego. . Disposition: ASSISTED.		
<b>15:33</b>	<b>AREA/BUILDING CHECK</b>	<b>1708070044</b>
Officer initiated activity at Campus Green, Hardy Av, San Diego. . Disposition: CHECKS OK.		

17069

WJ1516

**MEDIA BULLETIN**

PD Day (0630-0629) --- Monday, August 7, 2017

08/08/2017

- 15:42 MENTALLY ILL PERSON 1708070045**  
Occurred at Library Information Access Dome on Campanile Dr. , San Diego. 2 AGO, SUBJECT YELLING AND SCREAMING, MIDDLE EASTERN OR HISPANIC MALE, MID 20S, 508, HEAVY SET, SHAGGY BRO HAIR AND BEARD, WHITE SHIRT, KHAKI SHORT, CARRYING A BLUE PLAID SHIRT, POSS 115/HBD . NON-STUDENT TRANSPORTED TO HOSPITAL FOR FURTHER EVALUATION. . Disposition: REPORT TAKEN.
- 16:45 ALVARADO MEDICAL CENTER SECURITY DETAIL 1708070049**  
Occurred at Alvarado Medical Center on Alvarado Ct. , San Diego. AMC DETAIL. . Disposition: CHECKS OK.
- 16:54 ACCESS CONTROL SYSTEM ALARM 1708070051**  
Occurred at Adams Humanities on Campanile Dr. , San Diego. ITS SOWINGMEDIALABMOTION X42893. . Disposition: INFORMATION ONLY.
- 16:58 FIRE ALARM 1708070052**  
Occurred at Jeff Jacobs Jam Center on 55TH St. , San Diego. MENS LOCKER ROOM LOWER LEVEL SMOKE DETECTOR. . Disposition: CHECKS OK.
- 17:51 VEHICLE RELEASE 1708070053**  
Officer initiated activity at University Police, 55TH St, San Diego. REFERENCE CASE #17-978. VEHICLE RELEASED TO VALID LICENSED DRIVER WITH PROOF OF INSURANCE AND A ONE-DAY MOVING PERMIT. . Disposition: ASSISTED.
- 18:42 FIRE ALARM 1708070055**  
Occurred at Jeff Jacobs Jam Center on 55TH St. , San Diego. MENS LOCKER ROOM SMOKE DETECTOR ACTIVATION. . Disposition: CHECKS OK.
- 19:29 AREA/BUILDING CHECK 1708070056**  
Officer initiated activity at Parking 9A, Remington Rd, San Diego. . Disposition: CHECKS OK.
- 19:59 TRAFFIC STOP 1708070057**  
Officer initiated activity at El Cajon BL/67TH St, San Diego. . Disposition: CITATION ISSUED.
- 20:11 TRAFFIC STOP 1708070058**  
Officer initiated activity at El Cajon Bl/Rolando Bl / Rolando Ct, San Diego. . Disposition: CITATION ISSUED.
- 20:12 AREA/BUILDING CHECK 1708070059**  
Officer initiated activity at Parking 17, Alvarado Rd, San Diego. . Disposition: CHECKS OK.
- 20:27 AREA/BUILDING CHECK 1708070060**  
Officer initiated activity at Cuicacalli Residence Hall, East Campus Dr, San Diego. . Disposition: CHECKS OK.
- 20:29 AREA/BUILDING CHECK 1708070061**  
Officer initiated activity at Mts Transit Center, Campanile Dr, San Diego. . Disposition: CHECKS OK.
- 20:31 FIRE ALARM 1708070062**  
Occurred at Jeff Jacobs Jam Center on 55TH St. , San Diego. MENS LOCKER ROOM SMOKE DETECTOR ALARM ACTIVATION. . Disposition: UNKNOWN CAUSE OF ACTIVATION.
- 21:00 AREA/BUILDING CHECK 1708070064**  
Officer initiated activity at Parking 6, Hardy Av, San Diego. . Disposition: CHECKS OK.
- 21:04 AREA/BUILDING CHECK 1708070065**  
Officer initiated activity at College Square, Lindo Paseo Av, San Diego. . Disposition: CHECKS OK.
- 21:10 TRAFFIC STOP 1708070066**  
Officer initiated activity at Parking 5, Campanile Dr, San Diego. . Disposition: ADVISED.
- 21:20 TRAFFIC STOP 1708070067**  
Officer initiated activity at Arosa St, San Diego. . Disposition: CITATION ISSUED.



- 21:38 MENTALLY ILL PERSON 1708070069**  
Occurred at Parking 6 on Hardy Av. , San Diego. ABOUT 5 AGO. POSS DV IN PROGRESS. FEMALE RUNNING AWAY FROM MALE. MALE GRABBED HER BY THE WRIST. RP ASKED IF F WAS OK SHE REPLIED YES.  
AFA, EARLY 20'S, MED BUILD, 5'0, BLACK LONG HAIR. WEARING GLASSES. OFF THE SHOULDER SHIRT, BLACK LEGGINGS.  
WMA, EARLY 20'S, MED BUILD, 6'2, SHORT HAIR UKN COLOR, WEARING BLACK BASEBALL CAP, DRK COLOR T SHIRT, DRK COLOR SHORTS AND A ORANGE BACKPACK. NO WEAPONS SEEN.  
SDSU STUDENT TRANSPORTED TO GROSSMONT HOSPITAL FOR EVALUATION. . Disposition: REPORT TAKEN.
- 22:24 AREA/BUILDING CHECK 1708070070**  
Officer initiated activity at Campus Core, Campanile Dr, San Diego. . Disposition: CHECKS OK.
- 22:31 ACCESS CONTROL SYSTEM ALARM 1708070071**  
Occurred at Aztec Aquaplex on Remington Rd. , San Diego. POOL WEST GATE INTRUSION ALARM ACTIVATION. . Disposition: SECURITY DEFICIENCY.
- 23:16 AREA/BUILDING CHECK 1708070073**  
Officer initiated activity at Alberts College Apartments Aztec, 55TH St, San Diego. . Disposition: CHECKS OK.
- 23:27 AREA/BUILDING CHECK 1708070075**  
Officer initiated activity at Campus Core, Campanile Dr, San Diego. . Disposition: CHECKS OK.
- 01:01 ACCESS CONTROL SYSTEM ALARM 1708080002**  
Occurred at Malcolm A Love Library on Campanile Dr. , San Diego. DOME BARREL WEST DOORS DOOR OPEN TOO LONG ALARM ACTIVATION. . Disposition: UNKNOWN CAUSE OF ACTIVATION.
- 02:34 AREA/BUILDING CHECK 1708080004**  
Officer initiated activity at Campus Core, Campanile Dr, San Diego. . Disposition: CHECKS OK.
- 02:46 AREA/BUILDING CHECK 1708080005**  
Officer initiated activity at Campus Core, Campanile Dr, San Diego. . Disposition: CHECKS OK.
- 02:55 FOOT PATROL 1708080006**  
Officer initiated activity at Conrad Prebys Aztec Student Unio, Aztec Circle Dr, San Diego. PULLIAM, SEAN (NON STUDENT) ARRESTED, CITED AND RELEASED FOR VIOLATION OF SDSU GROUNDS POLICY. . Disposition: ARREST.
- 03:29 ACCESS CONTROL SYSTEM ALARM 1708080007**  
Occurred at Business Services on Canyon Crest Dr. , San Diego. 2ND FLOOR MOTION DETECTOR ACTIVATION. . Disposition: INFORMATION ONLY.
- 03:37 AREA/BUILDING CHECK 1708080008**  
Officer initiated activity at Parking 17B, Alvarado Rd, San Diego. . Disposition: CHECKS OK.
- 03:59 AREA/BUILDING CHECK 1708080009**  
Officer initiated activity at Calpulli Center, Hardy Av, San Diego. . Disposition: CHECKS OK.
- 04:25 AREA/BUILDING CHECK 1708080010**  
Officer initiated activity at Alvarado Medical Center, Alvarado Rd, San Diego. . Disposition: CHECKS OK.
- 05:20 AREA/BUILDING CHECK 1708080011**  
Officer initiated activity at Parking 16, Canyon Crest Dr, San Diego. . Disposition: CHECKS OK.